

5FUDD FOR THE TREATMENT OF SKIN CANCERS AND PRE-SKIN CANCERS

Over the past 30 years, Dr. Glazer has been the principal investigator in multiple studies to determine the effectiveness of new and innovative treatments for skin cancers and pre-skin cancers. Since July 2016, Dr. Glazer has been providing patients with a treatment solution called 5FUDD, which he views as a breakthrough in topical treatments for precancerous and cancerous lesions. Due to his extensive experience, he is uniquely qualified to provide this treatment for the conditions listed below.

- Actinic Keratosis (AK)
- Bowen's Disease (SCC, in situ)
- Squamous Cell Carcinoma (SCC)
- Keratoacanthoma (KA)
- Basal Cell Carcinoma (BCC)
- Basosquamous Carcinoma

5FUDD is a patented combination of the following FDA approved topical medications:

- **5-fluorouracil 2.5%**: chemotherapeutic agent
- **Calcipotriene 0.005%**: Vitamin D derivative that acts to boost immunity which allows for a quicker and more effective response with longer lasting results
- **Diclofenac 3%**: non-steroidal anti-inflammatory agent used to aid in healing

Dr. Glazer designates this novel formulation as a "smart cream" as it selectively destroys precancerous and cancerous cells while sparing normal tissue. The cream is providing excellent cosmetic results and cure rates that are best in class.

5FUDD is **NOT COVERED by any insurance plans**, and it is only available for purchase at Glazer Dermatology.

APPLICATION INSTRUCTIONS FOR 5FUDD

Apply to:

1. _____, _____ time(s) a day for _____ days.
2. _____, _____ time(s) a day for _____ days.
3. _____, _____ time(s) a day for _____ days.

Instructions:

1. Wash the treatment area(s) with gentle cleanser/soap and water. Allow your skin to dry completely.
2. Apply a thin layer to the treatment area(s) with your finger or a q-tip and rub thoroughly into skin.
If you are treating the entire face (forehead, temples, cheeks, and nose), we suggest a pea-sized amount. Remember, a little goes a long way.
3. Wash your hands thoroughly after each application.

What to expect:

- Reaction will begin 2-3 days after starting treatment
- Expect area(s) to look pink/red, become irritated, and/or have scabbing. Skin might feel like a bad sunburn or “tight.”
- Irritation might spread further than anticipated - remember the cream is selective to even microscopic sun damaged skin, but will leave normal healthy cells alone. A “bad reaction” is a good therapeutic response!
- Reaction will continue to worsen throughout application and for 2-3 days after completing treatment
- If discomfort is bothersome, ointments such as Aquaphor or Vaseline can help soothe the area. Plain moisturizers, such as Vanicream or DML, can also help provide relief (especially if kept in refrigerator). Avoid moisturizers with harsh chemicals, as this will sting.

Aftercare:

- Apply healing ointment such as Vaseline, Aquaphor, or bacitracin 2-3 times/day as needed.
- If irritation/burning persists, you can also mix over the counter Hydrocortisone 1% with any of the above-mentioned ointments and apply 2-3 per day.
- Avoid exposing areas to the sun during and post treatment. If exposure must occur, please wear a hat, and apply SPF 30.

Follow-up in our office with your doctor in: _____

If you have any questions, please call the office, and speak with a nurse:

847.459.6611 ext. 217